

L Number	Hits	Search Text	DB	Time stamp
-	5600	709/210,224-226.ccls.	USPAT; US-PGPUB; EPO; JPO	2004/08/09 10:00
-	314	709/210,224-226.ccls. and virtual near8 network near8 (device or system)	USPAT; US-PGPUB; EPO; JPO	2004/08/09 11:00
-	21	709/210,224-226.ccls. and virtual near8 network near8 (device or system) and register\$3 and emulat\$3	USPAT; US-PGPUB; EPO; JPO	2004/08/09 11:14
-	5	((("5796728") or ("5940479") or ("5953322") or ("5983282") or ("6005926"))).PN.	USPAT	2004/08/09 11:16
-	2	virtual near8 (mouse or keyboard) and RTP and SIP and H.323	USPAT; US-PGPUB; EPO; JPO	2004/08/09 11:21
-	195	virtual and RTP and SIP and H.323	USPAT; US-PGPUB; EPO; JPO	2004/08/09 11:22
-	0	(virtual and RTP and SIP and H.323) and (virtual same mouse) and (virtual same telephone) and RTP and SIP and H.323	USPAT; US-PGPUB; EPO; JPO	2004/08/09 11:22
-	47	virtual and RTP and SIP and H.323 and mouse and telephone	USPAT; US-PGPUB; EPO; JPO	2004/08/09 11:25
-	0	virtual and RTP and SIP and H.323 and mouse and telephone and microsoft.as.	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:46
-	18	virtual and RTP and SIP and H.323 and mouse and telephone and microsoft	USPAT; US-PGPUB; EPO; JPO	2004/08/09 11:57
-	18	(US-5999525-\$ or US-6614781-\$ or US-6373817-\$ or US-6335927-\$ or US-6633635-\$ or US-6731625-\$ or US-6754181-\$ or US-5867494-\$ or US-5867495-\$).did. or (US-20020124100-\$ or US-20020107918-\$ or US-20040022237-\$ or US-20030140121-\$ or US-20030177354-\$ or US-20020064149-\$ or US-20020032751-\$ or US-20030227540-\$ or US-20020133611-\$).did.	USPAT; US-PGPUB	2004/08/09 11:23
-	1	((US-5999525-\$ or US-6614781-\$ or US-6373817-\$ or US-6335927-\$ or US-6633635-\$ or US-6731625-\$ or US-6754181-\$ or US-5867494-\$ or US-5867495-\$).did. or (US-20020124100-\$ or US-20020107918-\$ or US-20040022237-\$ or US-20030140121-\$ or US-20030177354-\$ or US-20020064149-\$ or US-20020032751-\$ or US-20030227540-\$ or US-20020133611-\$).did.) and (virtual near8 device)	USPAT; US-PGPUB; EPO; JPO	2004/08/09 11:24
-	78	(virtual same (mouse or telephone)) and RTP and SIP and H.323	USPAT; US-PGPUB; EPO; JPO	2004/08/09 11:56
-	27	(virtual near8 (mouse or telephone)) and RTP and SIP and H.323	USPAT; US-PGPUB; EPO; JPO	2004/08/09 11:25
-	11	(virtual near8 (mouse or telephone)) and RTP and SIP and H.323 and microsoft	USPAT; US-PGPUB; EPO; JPO	2004/08/09 11:44
-	27	(virtual near8 (mouse or telephone)) and RTP and SIP and H.323	USPAT; US-PGPUB; EPO; JPO	2004/08/09 11:48
-	16	((virtual near8 (mouse or telephone)) and RTP and SIP and H.323 ) not ((virtual near8 (mouse or telephone)) and RTP and SIP and H.323 and microsoft)	USPAT; US-PGPUB; EPO; JPO	2004/08/09 11:44
-	2	(virtual near8 (keyboard)) and RTP and SIP and H.323	USPAT; US-PGPUB; EPO; JPO	2004/08/09 11:48

-	2	(virtual near20 (keyboard)) and RTP and SIP and H.323	USPAT; US-PGPUB; EPO; JPO	2004/08/09 11:48
-	2	(virtual same (keyboard)) and RTP and SIP and H.323	USPAT; US-PGPUB; EPO; JPO	2004/08/09 11:49
-	23	(virtual near8 (device or component)) and RTP and SIP and H.323	USPAT; US-PGPUB; EPO; JPO	2004/08/09 11:49
-	23	(US-6453034-\$ or US-6714987-\$ or US-6697354-\$ or US-6625258-\$ or US-6259691-\$).did. or (US-20040057385-\$ or US-20040064579-\$ or US-20020032751-\$ or US-20020057786-\$ or US-20040095932-\$ or US-20040139209-\$ or US-20040120318-\$ or US-20020147814-\$ or US-20020156900-\$ or US-20020194388-\$ or US-20030031165-\$ or US-20030088686-\$ or US-20030161297-\$ or US-20040025186-\$ or US-20040047342-\$ or US-20020143874-\$ or US-20020107918-\$ or US-20020099842-\$).did.	USPAT; US-PGPUB; EPO; JPO	2004/08/09 11:49
-	23	((US-6453034-\$ or US-6714987-\$ or US-6697354-\$ or US-6625258-\$ or US-6259691-\$).did. or (US-20040057385-\$ or US-20040064579-\$ or US-20020032751-\$ or US-20020057786-\$ or US-20040095932-\$ or US-20040139209-\$ or US-20040120318-\$ or US-20020147814-\$ or US-20020156900-\$ or US-20020194388-\$ or US-20030031165-\$ or US-20030088686-\$ or US-20030161297-\$ or US-20040025186-\$ or US-20040047342-\$ or US-20020143874-\$ or US-20020107918-\$ or US-20020099842-\$).did.) and (virtual near8 (device or component))	USPAT; US-PGPUB; EPO; JPO	2004/08/09 11:49
-	0	virtual and RTP and SIP and H.323 and (mouse or keyboard) and microsoft\$.as.	USPAT; US-PGPUB; EPO; JPO	2004/08/09 11:58
-	0	virtual same (mouse or keyboard) and RTP and (mouse or keyboard) and microsoft\$.as.	USPAT; US-PGPUB; EPO; JPO	2004/08/09 11:58
-	8	(build\$3 or creat\$3) near8 virtual same (mouse or keyboard) and microsoft\$.as.	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:01
-	5	(build\$3 or creat\$3) near8 computer and RTP and microsoft\$.as.	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:02
-	21	(build\$3 or creat\$3) near8 computer and (network near8 (mouse or keyboard)) and microsoft\$.as.	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:05
-	5	((select\$ or discover\$3 or detect\$3) near8 network near8 (mouse or keyboard)) and microsoft\$.as.	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:07
-	262	((select\$ or discover\$3 or detect\$3) near8 network near8 (mouse or keyboard))	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:09
-	1	((((select\$ or discover\$3 or detect\$3) near8 network near8 (mouse or keyboard)) ) not (((select\$ or discover\$3 or detect\$3) near8 network near8 (mouse or keyboard)) and microsoft\$.as.) and RTP	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:08
-	257	((((select\$ or discover\$3 or detect\$3) near8 network near8 (mouse or keyboard)) ) not (((select\$ or discover\$3 or detect\$3) near8 network near8 (mouse or keyboard)) and microsoft\$.as.)	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:08
-	1	(((((select\$ or discover\$3 or detect\$3) near8 network near8 (mouse or keyboard)) ) not (((select\$ or discover\$3 or detect\$3) near8 network near8 (mouse or keyboard)) and microsoft\$.as.) ) and RTP	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:08

-	0	(((((select\$ or discover\$3 or detect\$3) near8 network near8 (mouse or keyboard)) ) not (((select\$ or discover\$3 or detect\$3) near8 network near8 (mouse or keyboard)) and microsoft\$.as.) ) and H.323	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:09
-	2	(((((select\$ or discover\$3 or detect\$3) near8 network near8 (mouse or keyboard)) ) not (((select\$ or discover\$3 or detect\$3) near8 network near8 (mouse or keyboard)) and microsoft\$.as.) ) and SIP	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:09
-	0	discover\$3 near8 network near8 (mouse or keyboard)	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:10
-	82	select near8 network near8 (mouse or keyboard)	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:10
-	56	select near5 network near5 (mouse or keyboard)	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:12
-	0	select adj (mouse or keyboard) near5 network	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:12
-	12	select\$3 adj (mouse or keyboard) near5 network	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:13
-	0	discover\$3 adj (mouse or keyboard) near5 network	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:13
-	0	detect\$3 adj (mouse or keyboard) near5 network	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:14
-	3	detect\$3 near2 (mouse or keyboard) near5 network	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:14
-	48	select\$3 near2 (mouse or keyboard) near5 network	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:21
-	0	selection near3 device near3 network same keyboard same mouse and RTP	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:22
-	0	selection near3 device near3 network same keyboard same mouse	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:22
-	4	selection near5 device near5 network same keyboard same mouse	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:24
-	17	selection near5 (keyboard or mouse) near5 network	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:25
-	11	((select\$ or discover\$3 or detect\$3) near5 (keyboard or mouse) near5 network).ab.	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:27
-	11	((select\$ or discover\$3 or detect\$3) same (keyboard or mouse) same virtual same network).ab.	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:30
-	6	(detect\$3 near5 (keyboard or mouse) same virtual same network)	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:32
-	1	virtual adj computer near8 select\$3 near8 network	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:33
-	1	(build\$3 or creat\$3) near3 virtual adj computer near8 network	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:34
-	7	(build\$3 or creat\$3) near3 virtual adj computer same network	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:35
-	0	(assembl\$3) near3 virtual adj computer same network	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:35

-	0	(assembl\$3) near3 virtual near2 computer same network	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:36
-	13	(assembl\$3) near3 computer same network same virtual	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:36
-	36	select\$3 near8 keyboard near8 mouse near8 network	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:42
-	0	select\$3 near2 of near8 keyboard near8 mouse near8 network	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:42
-	0	selection adj of adj8 (keyboard or mouse) same network	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:43
-	0	selection adj of adj8 (keyboard or mouse)	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:43
-	0	selection adj of adj2 network adj2 device	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:43
-	14	RTP and SIP and H.323 and ((mouse or keyboard or telephone) near5 selection)	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:47
-	0	RTP and SIP and H.323 and ((mouse or keyboard or telephone) near5 selection near5 of)	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:48
-	11	RTP and SIP and H.323 and ((mouse or keyboard or telephone) near5 detection)	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:51
-	14	RTP and SIP and ((mouse or keyboard or telephone) near5 detection)	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:49
-	3	(RTP and SIP and ((mouse or keyboard or telephone) near5 detection)) not (RTP and SIP and H.323 and ((mouse or keyboard or telephone) near5 detection))	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:50
-	3	RTP and SIP and H.323 and ((mouse or keyboard or telephone) same (device near5 detection))	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:52
-	5	RTP and SIP and H.323 and ((mouse or keyboard or telephone) same (device near5 selection))	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:53
-	19	RTP and SIP and H.323 and ((mouse or keyboard or telephone) and (device near5 selection))	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:55
-	14	(RTP and SIP and H.323 and ((mouse or keyboard or telephone) and (device near5 selection))) not (RTP and SIP and H.323 and ((mouse or keyboard or telephone) same (device near5 selection)))	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:54
-	5	RTP and SIP and ((mouse or keyboard or telephone) same (device near5 selection))	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:56
-	25	RTP and ((mouse or keyboard or telephone) same (device near5 selection))	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:58
-	20	(RTP and ((mouse or keyboard or telephone) same (device near5 selection))) not (RTP and SIP and ((mouse or keyboard or telephone) same (device near5 selection)))	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:56
-	0	((mouse or keyboard) near5 pool near5 selection near5 network)	USPAT; US-PGPUB; EPO; JPO	2004/08/09 12:59
-	0	((mouse or keyboard) near5 pool near5 selection)	USPAT; US-PGPUB; EPO; JPO	2004/08/09 13:00
-	0	((mouse or keyboard) near5 pool near5 network)	USPAT; US-PGPUB; EPO; JPO	2004/08/09 13:01

-	22	((mouse or keyboard) near5 resource near5 network)	USPAT; US-PGPUB; EPO; JPO	2004/08/09 13:02
-	111	selection near5 resource near5 network	USPAT; US-PGPUB; EPO; JPO	2004/08/09 13:02
-	1	selection near5 resource near5 network same keyboard	USPAT; US-PGPUB; EPO; JPO	2004/08/09 13:02
-	7	selection near5 resource near5 network near5 dynamic\$5	USPAT; US-PGPUB; EPO; JPO	2004/08/09 13:04
-	1	detection near5 resource near5 network near5 dynamic\$5	USPAT; US-PGPUB; EPO; JPO	2004/08/09 13:04
-	3271	(resource or device) and network and (keyboard or mouse).ab.	USPAT; US-PGPUB; EPO; JPO	2004/08/09 13:05
-	2646	(resource or device) and network and (keyboard or mouse and selection).ab.	USPAT; US-PGPUB; EPO; JPO	2004/08/09 13:05
-	2591	(resource or device) and network and (keyboard or mouse and (selection or detection) and virtual).ab.	USPAT; US-PGPUB; EPO; JPO	2004/08/09 13:06
-	3	((resource or device) and network and (keyboard or mouse) and (selection or detection) and virtual).ab.	USPAT; US-PGPUB; EPO; JPO	2004/08/09 13:07
-	64	((resource or device) and network and (keyboard or mouse) and (selection or detection)).ab.	USPAT; US-PGPUB; EPO; JPO	2004/08/09 13:08
-	61	((resource or device) and network and (keyboard or mouse) and (selection or detection)).ab.) not (((resource or device) and network and (keyboard or mouse) and (selection or detection) and virtual).ab.)	USPAT; US-PGPUB; EPO; JPO	2004/08/09 13:10
-	0	(((((resource or device) and network and (keyboard or mouse) and (selection or detection)).ab.) not (((resource or device) and network and (keyboard or mouse) and (selection or detection) and virtual).ab.)) and RTP	USPAT; US-PGPUB; EPO; JPO	2004/08/09 13:08
-	1	MGCP near5 URL	USPAT; US-PGPUB; EPO; JPO	2004/08/09 13:10
-	69	MGCP and URL	USPAT; US-PGPUB; EPO; JPO	2004/08/09 13:10
-	44	MGCP and URL and virtual	USPAT; US-PGPUB; EPO; JPO	2004/08/09 13:11
-	1	MGCP and URL and (virtual same (keyboard or mouse))	USPAT; US-PGPUB; EPO; JPO	2004/08/09 13:11
-	4	MGCP and URL and (virtual near5 device)	USPAT; US-PGPUB; EPO; JPO	2004/08/09 13:12
-	12	MGCP and (URL near5 device)	USPAT; US-PGPUB; EPO; JPO	2004/08/09 13:28
-	102	selection same (URL near5 device)	USPAT; US-PGPUB; EPO; JPO	2004/08/09 13:28
-	2	selection same (URL near5 device) same monitor	USPAT; US-PGPUB; EPO; JPO	2004/08/09 13:29
-	1	selection same (URL near5 device) and microsoft.as.	USPAT; US-PGPUB; EPO; JPO	2004/08/09 13:30

-	24	(US-6259691-\$ or US-5867494-\$ or US-6625258-\$ or US-6714987-\$ or US-6697354-\$ or US-6665714-\$ or US-6741586-\$ or US-6681252-\$ or US-6650901-\$).did. or (US-20020116464-\$ or US-20030140121-\$ or US-20020124100-\$ or US-20020057786-\$ or US-20020051463-\$ or US-20030088686-\$ or US-20020156900-\$ or US-20020143874-\$ or US-20020032751-\$ or US-20040017800-\$ or US-20030227929-\$ or US-20030007622-\$ or US-20030035471-\$ or US-20020120760-\$ or US-20020027569-\$).did.	USPAT; US-PGPUB	2004/08/09 14:10
-	8	((US-6259691-\$ or US-5867494-\$ or US-6625258-\$ or US-6714987-\$ or US-6697354-\$ or US-6665714-\$ or US-6741586-\$ or US-6681252-\$ or US-6650901-\$).did. or (US-20020116464-\$ or US-20030140121-\$ or US-20020124100-\$ or US-20020057786-\$ or US-20020051463-\$ or US-20030088686-\$ or US-20020156900-\$ or US-20020143874-\$ or US-20020032751-\$ or US-20040017800-\$ or US-20030227929-\$ or US-20030007622-\$ or US-20030035471-\$ or US-20020120760-\$ or US-20020027569-\$).did.) and (telephone near8 virtual) and SIP and H.323 and RTP	USPAT; US-PGPUB	2004/08/09 14:11


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)

virtual device system network

Search

[Advanced Search](#)  
[Preferences](#)
**Web**Results 1 - 10 of about 1,580,000 for **virtual device system network**. (0.69 seconds)**IBM Tivoli Storage Manager for System Backup and Recovery ...**

... the TSM **Virtual Device**. Removing the TSM **Virtual Device**. ... from a TSM Server. Configuring **Network Boot Options** ... Bare Metal Recovery and **System Reinstallation** from a ...

publib.boulder.ibm.com/infocenter/tivihelp/topic/com.ibm.tsmsbr.doc\_5.6.1/bmrug56102.htm - 48k -

[Cached](#) - [Similar pages](#)

**IBM Tivoli Storage Manager for System Backup and Recovery ...**

... over the **network** using a TSM **virtual device** and need to ... you should select the tsmdev **device** entry and ... refer Bare Metal Recovery and **System Reinstallation** from ...

publib.boulder.ibm.com/infocenter/tivihelp/topic/com.ibm.tsmsbr.doc\_5.6.1/bmrug561116.htm - 14k -

[Cached](#) - [Similar pages](#)

[ [More results from publib.boulder.ibm.com](#) ]

**Microsoft NETBEUI Virtual Device (Version 4.0) driver - Microsoft ...**

... Model, NETBEUI **Virtual Device** (Version 4.0). ...

www.network-drivers.com/drivers/32/32348.htm - 27k - [Cached](#) - [Similar pages](#)

**Derived Virtual Devices: A Secure Distributed File System - Van ...**

... Correct) 0.4: VISA: Netstation's **Virtual Internet SCSI** ... for **Network Attached Storage Devices** - Gobioff, Gibson, Tygar (1997) (Correct) **System** load high. ...

citeseer.ist.psu.edu/649650.html - 20k - [Cached](#) - [Similar pages](#)

**VRPN**

... implement a **network-transparent** interface between application programs and the set of physical **devices** (tracker, etc.) used in a **virtual-reality (VR) system**. ...

www.cs.unc.edu/Research/vrpn/ - 23k - [Cached](#) - [Similar pages](#)

**virtual device driver - Webopedia.com**

... This allows them to interact with **system** and hardware resources at a very low level. In Windows 95, **virtual device** drivers are often called VxDs because the ...

systems.webopedia.com/TERM/V/virtual\_device\_driver.html - 33k - [Cached](#) - [Similar pages](#)

**Entries relating to 'operating system'**

... Version 7 · VFAT · **Virtual Device Driver** · **Virtual Machine** · **Virtual Machine/Conversational Monitor System** · **Virtual Machine** ...

burks.brighton.ac.uk/burks/foldoc/subjects/6.htm - 19k - [Cached](#) - [Similar pages](#)

**Security and VPN - Cisco Systems**

... Cisco Intrusion Detection **System**. IDS Management. Cisco Router ... Manager. Cisco Router and Security **Device Manager**. ... **Virtual Private Networks (VPN)**. Cisco VPN Clients. ...

www.cisco.com/en/US/products/hw/vpndev/c/ - 63k - Aug 7, 2004 - [Cached](#) - [Similar pages](#)

**SCO OpenServer Handbook**

... domains Configuring services Configuring **SYSTEM-WIDE** Configuring ... administration of **virtual** domains **Virtual** domain notes ... **devices** Mass storage **device** notes UDMA ...

docsrv.sco.com:507/en/HANDBOOK/CONTENTS.html - 95k - [Cached](#) - [Similar pages](#)

**virtual device driver - Software, Hardware, Services and Research ...**

... **Virtual Storage Engine 2 (VSE 2)** software is designed for corporations that want to ... VSE2 emulates tape **devices** on disk for the host **system** and processes ...

knowledgestorm.techtarget.com/searchcio/search/keyword/virtual+device+driver/TT/virtual+device+driver - 101k -

[Cached](#) - [Similar pages](#)

Goooooooooooooogle ►

Result Page:    1 2 3 4 5 6 7 8 9 10    **Next**

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)



virtual device system network    **Search**

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google




[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)


[Advanced Search](#)  
[Preferences](#)

## Web

 Results 1 - 10 of about 1,900,000 for **virtual device device network**. (0.43 seconds)

### IBM Tivoli Storage Manager for System Backup and Recovery ...

... a TSM **Virtual Device**. Changing the TSM **Virtual Device**. Removing the TSM **Virtual Device**. ... Restoring Backups from a TSM Server. Configuring **Network** Boot Options for a ...

publib.boulder.ibm.com/infocenter/tivihelp/topic/com.ibm.itmsbr.doc\_5.6.1/bmrug56102.htm - 48k -

[Cached](#) - [Similar pages](#)

### IBM Tivoli Storage Manager for System Backup and Recovery ...

... If you are installing over the **network** using a TSM **virtual device** and need to access a different machine as your **network** install server, you should select the ...

publib.boulder.ibm.com/infocenter/tivihelp/topic/com.ibm.itmsbr.doc\_5.6.1/bmrug561116.htm - 14k -

[Cached](#) - [Similar pages](#)

[ [More results from publib.boulder.ibm.com](#) ]

### Microsoft NETBEUI Virtual Device (Version 4.0) driver - Microsoft ...

... Model, NETBEUI **Virtual Device** (Version 4.0 ... IT Professionals - keep up to date LAN

- products and services **Networking** - products and services Computer Upgrade and ...

www.network-drivers.com/drivers/32/32348.htm - 27k - [Cached](#) - [Similar pages](#)

### virtual device driver - CrossNodes - Practical Advice for Managing ...

Search for more **networking** terms . . . **virtual device** driver Last

modified: Friday, April 12, 2002. In Windows systems, a special ...

networking.webopedia.com/TERM/V/virtual\_device\_driver.html - 26k - [Cached](#) - [Similar pages](#)

### Virtual Device Driver failed DLL initialization

... **Virtual Device** Driver failed DLL initialization. ... An installable **Virtual Device** Driver

failed DLL initialization. Choose 'Close' to terminate the application. ...

www.windowsnetworking.com/.../RegistryTips/Miscellaneous/VirtualDeviceDriverfailedDLLinitialization.html - 27k -

[Cached](#) - [Similar pages](#)

### Connected Limited Device Configuration (CLDC)

... CLDC HotSpot Implementation(tm) is a **virtual** machine that ... HotSpot Implementation is

targeted at **devices** with 16 ... Members of Sun Developer **Network** can sign up to ...

java.sun.com/products/cldc/ - 26k - Aug 7, 2004 - [Cached](#) - [Similar pages](#)

### Northlake Creating PrintKit Virtual Device

... However, for a PrintKit queue using TCP/IP communications, the associated **device**

is the shared **network** interface, which cannot be used as a **virtual device**. ...

www.nls.com/support/note\_virtual\_dev\_content.html - 15k - [Cached](#) - [Similar pages](#)

### The Weblog Review

... circuit **Virtual** Community **Virtual** Corporation **Virtual Device** Driver **Virtual** ... Point

Of Presence **Virtual** Printer **Virtual** Private **Network** **Virtual** Reality ...

www.theweblogreview.com/dictionary/defineVirtual\_SPACE\_Device\_SPACE\_Driver.html - 39k - [Cached](#) - [Similar pages](#)

### Windows Quality Online Services: Network device submissions on ...

... Mini PCI, CNR, PC Card, CardBus, IEEE 1394, ACR, USB 1.1, USB 2.0, Bluetooth, or

**Virtual Device**); ... Chipset name; Chipset version; **Network** speeds supported (in MB). ...

https://winqual.microsoft.com/help/cat\_help/NETWORK\_DEVICE\_AND\_OR\_DRIVER\_HELP.aspx - 5k -

[Cached](#) - [Similar pages](#)

### Virtual Device Location definition of Virtual Device Location in ...

**Virtual Device** Location. Word: Word. ... Some words with "Virtual Device

[computing-dictionary.thefreedictionary.com/Virtual%20Device%20Location](http://computing-dictionary.thefreedictionary.com/Virtual%20Device%20Location) - 16k - Cached - Similar pages

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Google  Search Web 49 Pop-ups blocked News AutoFill

## Search

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs

**IEEE Xplore**  
RELEASE 1.3

 Welcome  
 United States Patent and Trademark Office

**IEEE Xplore**  
 1 Million Doc  
 1 Million User

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)

» Search Res

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Print Format

Your search matched **344** of **1058483** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or entering a new one in the text box.

virtual &lt;and&gt;network&lt;and&gt;device

Search

☒ Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**1 Multimedia communications with multiple devices using the personal virtual network service***Vanem, E.; Dao Tran Van; Do Van Thanh;*Wireless Communications and Networking Conference, 2002. WCNC2002. 2002 IEEE, Volume: 1, 17-21 March 2002  
Pages:223 - 227 vol.1
[\[Abstract\]](#) [\[PDF Full-Text \(278 KB\)\]](#) **IEEE CNF**
**2 Simulating ATM network management using virtual devices***Thurm, B.; Wiltfang, H.R.;*Network Operations and Management Symposium, 2000. NOMS 2000. 2000 IEEE/IFIP, 10-14 April 2000  
Pages:773 - 786
[\[Abstract\]](#) [\[PDF Full-Text \(1088 KB\)\]](#) **IEEE CNF**
**3 GNBD/VIA: a network block device over virtual interface architecture on Linux***Kangho Kim; Jin-Soo Kim; Sung-In Jung;*Parallel and Distributed Processing Symposium., Proceedings International, IPDPS 2002, Abstracts and CD-ROM, 15-19 April 2002  
Pages:7 - 13
[\[Abstract\]](#) [\[PDF Full-Text \(401 KB\)\]](#) **IEEE CNF**
**4 Virtual Private Infrastructure (VPI) initiative - an industry consortium for unified and secure Web control with embedded devices***Sikora, A.; Brugger, P.;*Emerging Technologies and Factory Automation, 2003. Proceedings. ETFA '03. IEEE Conference, Volume: 1, 16-19 Sept. 2003  
Pages:288 - 291 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(376 KB\)\]](#) IEEE CNF

---

**5 Visualization in teleimmersive environments**

*Leigh, J.; Johnson, A.E.; Brown, M.; Sandin, D.J.; DeFanti, T.A.;*  
Computer , Volume: 32 , Issue: 12 , Dec. 1999  
Pages:66 - 73

[\[Abstract\]](#) [\[PDF Full-Text \(876 KB\)\]](#) IEEE JNL

---

**6 Multiperiod virtual topology design in wavelength routed optical networks**

*Manohar, P.; Padmanath, A.; Singh, S.; Manjunath, D.;*  
Circuits, Devices and Systems, IEE Proceedings [see also IEE Proceedings G-Circuits, Devices and Systems] , Volume: 150 , Issue: 6 , 4 Dec. 2003  
Pages:516 - 520

[\[Abstract\]](#) [\[PDF Full-Text \(268 KB\)\]](#) IEE JNL

---

**7 Virtual Bluetooth/spl trade/ devices as a means of extending pairing and bonding in a Bluetooth network**

*Beasley, J.; Fuhling, J.; Jollota, J.; Kamstra, D.; Stephens, S.;*  
Communications, 2002. ICC 2002. IEEE International Conference on , Volume: 4 , 28 April-2 May 2002  
Pages:2087 - 2089 vol.4

[\[Abstract\]](#) [\[PDF Full-Text \(495 KB\)\]](#) IEEE CNF

---

**8 Adaptive resource management system for home-area networks**

*Okamura, H.;*  
Distributed Computing Systems Workshop, 2001 International Conference on , 16-19 April 2001  
Pages:187 - 192

[\[Abstract\]](#) [\[PDF Full-Text \(548 KB\)\]](#) IEEE CNF

---

**9 Implementing Virtual Interface Architecture on top of the GM message passing interface**

*Chelius, G.;*  
Cluster Computing and the Grid, 2001. Proceedings. First IEEE/ACM International Symposium on , 15-18 May 2001  
Pages:245 - 252

[\[Abstract\]](#) [\[PDF Full-Text \(644 KB\)\]](#) IEEE CNF

---

**10 Current threats to and technical solutions for voice security**

*Collier, M.D.;*  
Aerospace Conference Proceedings, 2002. IEEE , Volume: 6 , 9-16 March 2002  
Pages:6-2685 - 6-2695 vol.6

[\[Abstract\]](#) [\[PDF Full-Text \(958 KB\)\]](#) IEEE CNF

---

**11 A recurrent neural network approach to virtual environment latency reduction**

*Garrett, A.; Aguilar, M.; Barniv, Y.;*  
Neural Networks, 2002. IJCNN '02. Proceedings of the 2002 International Joint Conference on , Volume: 3 , 12-17 May 2002

Pages:2288 - 2292

[\[Abstract\]](#) [\[PDF Full-Text \(566 KB\)\]](#) IEEE CNF

**12 Off-line performance maximisation in feed-forward neural networks by applying virtual neurons and covariance transformations**

*Alippi, C.; Petracca, R.; Piuri, V.;*

Circuits and Systems, 1995. ISCAS '95., 1995 IEEE International Symposium on , Volume: 3 , 28 April-3 May 1995  
Pages:2197 - 2200 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(288 KB\)\]](#) IEEE CNF

**13 UbiWorld: an environment integrating virtual reality, supercomputing and design**

*Papka, M.E.; Stevens, R.;*

High Performance Distributed Computing, 1996., Proceedings of 5th IEEE International Symposium on , 6-9 Aug. 1996  
Pages:306 - 307

[\[Abstract\]](#) [\[PDF Full-Text \(88 KB\)\]](#) IEEE CNF

**14 Network nirvana and the intelligent device**

*Clark, D.;*

Concurrency, IEEE [see also IEEE Parallel & Distributed Technology] , Volume: 7 , Issue: 2 , April-June 1999  
Pages:16 - 19

[\[Abstract\]](#) [\[PDF Full-Text \(156 KB\)\]](#) IEEE JNL

**15 Reducing communication latency with path multiplexing in optically interconnected multiprocessor systems**

*Chunming Qiao; Melhem, R.;*

Parallel and Distributed Systems, IEEE Transactions on , Volume: 8 , Issue: 2 , Feb. 1997  
Pages:97 - 108

[\[Abstract\]](#) [\[PDF Full-Text \(352 KB\)\]](#) IEEE JNL

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [15](#) [16](#) [17](#) [18](#) [19](#) [20](#) [21](#) [22](#) [23](#) [Next](#)

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyri


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: [The ACM Digital Library](#) [The Guide](#)


THE ACM DIGITAL LIBRARY

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used [virtual](#) AND [network](#) AND [device](#)

Found 30,426 of 140,980

Sort results by

[Save results to a Binder](#)
[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Display results

[Search Tips](#)
☐ [Open results in a new window](#)

Results 1 - 20 of 200

 Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

 Relevance scale ☐ ☐ ☐ ☐ ☐

### 1 [Tools: Virtual routers: a tool for networking research and education](#)

Florian Baumgartner, Torsten Braun, Eveline Kurt, Attila Weyland

 July 2003 **ACM SIGCOMM Computer Communication Review**, Volume 33 Issue 3

 Full text available: [pdf\(284.61 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Virtual routers are software entities, i.e. user space processes, emulating IP routers on one or several (Linux) computers. Virtual routers can be used for both networking research and education. In contrast to simulation, virtual routers process packets in real-time and the virtual router code is similar to code in real routers. In the case of research, larger network test-beds can be built using a relatively small number of computers. New functionalities such as new queuing mechanisms are supp ...

**Keywords:** distance learning, network emulation, networking, performance evaluation

### 2 [Software: VRPN: a device-independent, network-transparent VR peripheral system](#)

Russell M. Taylor, Thomas C. Hudson, Adam Seeger, Hans Weber, Jeffrey Juliano, Aron T. Helser

 November 2001 **Proceedings of the ACM symposium on Virtual reality software and technology**

 Full text available: [pdf\(344.60 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The Virtual-Reality Peripheral Network (VRPN) system provides a device-independent and network-transparent interface to virtual-reality peripherals. VRPN's application of factoring by function and of layering in the context of devices produces an interface that is novel and powerful. VRPN also integrates a wide range of known advanced techniques into a publicly-available system. These techniques benefit both direct VRPN users and those who implement other applications that make use of VR periphe ...

**Keywords:** input devices, interactive graphics, library, peripherals, virtual environments, virtual worlds

### 3 [Virtual machine monitors: Terra: a virtual machine-based platform for trusted computing](#)

Tal Garfinkel, Ben Pfaff, Jim Chow, Mendel Rosenblum, Dan Boneh

 October 2003 **Proceedings of the nineteenth ACM symposium on Operating systems principles**

 Full text available: [pdf\(140.31 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)


We present a flexible architecture for trusted computing, called Terra, that allows applications with a wide range of security requirements to run simultaneously on commodity hardware. Applications on Terra enjoy the semantics of running on a separate, dedicated, tamper-resistant hardware platform, while retaining the ability to run side-by-side with normal applications on a general-purpose computing platform. Terra achieves this synthesis by use of a *trusted virtual machine monitor* (TVMM) ...

**Keywords:** VMM, attestation, authentication, trusted computing, virtual machine, virtual machine monitor

#### 4 Velnet: virtual environment for learning networking

Bruce Kneale, Ain Y. De Horta, Ilona Box

January 2004 **Proceedings of the sixth conference on Australian computing education - Volume 30**

Full text available:  [pdf\(616.15 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)


The problems of providing a real, physical specialist laboratory to teach computer networking such as, the lack of funding and physical space and the risks and threats to the network environment and infrastructure, can be solved by the use of a virtual learning environment. Velnet is such a virtual learning environment that we have developed and used successfully. Velnet consists of one or more host machines and operating systems, commercial virtual machine software, virtual machines and their o ...

**Keywords:** Velnet, computer networking, virtual learning environment

#### 5 Virtual machine monitors: Xen and the art of virtualization

Paul Barham, Boris Dragovic, Keir Fraser, Steven Hand, Tim Harris, Alex Ho, Rolf Neugebauer, Ian Pratt, Andrew Warfield

October 2003 **Proceedings of the nineteenth ACM symposium on Operating systems principles**

Full text available:  [pdf\(168.76 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Numerous systems have been designed which use virtualization to subdivide the ample resources of a modern computer. Some require specialized hardware, or cannot support commodity operating systems. Some target 100% binary compatibility at the expense of performance. Others sacrifice security or functionality for speed. Few offer resource isolation or performance guarantees; most provide only best-effort provisioning, risking denial of service. This paper presents Xen, an x86 virtual machine monitor ...

**Keywords:** hypervisors, paravirtualization, virtual machine monitors

#### 6 Wireless and Mobile Networks Performance: EMWIN:: emulating a mobile wireless network using a wired network

Pei Zheng, Lionel M. Ni

September 2002 **Proceedings of the 5th ACM international workshop on Wireless mobile multimedia**

Full text available:  [pdf\(620.08 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)


Test and performance evaluation of protocols and algorithms in mobile wireless networks is known to be challenging. Due to the highly varying characteristics of mobile wireless networks, one cannot merely rely on either network simulation or a testbed. Network emulation provides a controllable and reproducible environment, yet it generally lacks the support for the emulation of network topology and mobility, which are extremely critical in mobile wireless network research. We introduce EMWIN, a ...

**Keywords:** mobile wireless network, mobility, network emulation, performance evaluation

7 Secure virtual private networks: the future of data communications

Eli Herscovitz

August 1999 **International Journal of Network Management**, Volume 9 Issue 4



Full text available:  [pdf\(230.05 KB\)](#) Additional Information: [full citation](#), [abstract](#), [index terms](#)

The Internet is an almost ideal means for information retrieval and exchange. It is cost-effective, easy to use and easily accessible. However, it can also be susceptible to devious practices such as data tempering, eavesdropping and theft. This paper analyses secure virtual private networks &lpar;VPNs&rpar; and their use in countering the problems of the Internet. Copyright © 1999 John Wiley & Sons, Ltd.

8 Active virtual network management protocol

Stephen F. Bush

May 1999 **Proceedings of the thirteenth workshop on Parallel and distributed simulation**

Full text available:  [pdf\(721.06 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)  
 [Publisher Site](#)

This paper introduces a novel algorithm, the Active Virtual Network Management Protocol, for predictive network management. It explains how the Active Virtual Network Management Protocol facilitates the management of an active network by allowing future predicted state information within an active network to be available to network management algorithms. This is accomplished by coupling ideas from optimistic discrete event simulation with active networking. The optimistic discrete event simulati ...

**Keywords:** Active Networks, Network Management, Self-Prediction, Optimistic Discrete Event Simulation

9 Novel approaches: A case for virtual channel processors

Derek McAuley, Rolf Neugebauer

August 2003 **Proceedings of the ACM SIGCOMM workshop on Network-I/O convergence: experience, lessons, implications**

Full text available:  [pdf\(153.09 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)


Modern desktop and server computer systems use multiple processors: general purpose CPU(s), graphic processor (GPU), network processors (NP) on Network Interface Cards (NICs), RAID controllers, and signal processors on sound cards and modems. Some of these processors traditionally have been special purpose processors but there is a trend towards replacing some of these with embedded general purpose processors. At the same time main CPUs become more powerful; desktop CPUs start featuring Simultan ...

**Keywords:** I/O virtualisation, Virtual Channel Processors, protocol offloading

10 Design challenges of virtual networks: fast, general-purpose communication

Alan M. Mainwaring, David E. Culler

May 1999 **ACM SIGPLAN Notices , Proceedings of the seventh ACM SIGPLAN symposium on Principles and practice of parallel programming**, Volume 34 Issue 8

Full text available:  [pdf\(1.57 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Virtual networks provide applications with the illusion of having their own dedicated, high-performance networks, although network interfaces posses limited, shared resources. We present the design of a large-scale virtual network system and examine the integration of



communication programming interface, system resource management, and network interface operation. Our implementation on a cluster of 100 workstations quantifies the impact of virtualization on small message latencies and throughput ...

**Keywords:** application programming interfaces, direct network access, high-performance clusters, protocol architecture and implementation, system resource management, virtual networks

#### 11 Virtual machines: ReVirt: enabling intrusion analysis through virtual-machine logging and replay


George W. Dunlap, Samuel T. King, Sukru Cinar, Murtaza A. Basrai, Peter M. Chen  
December 2002 **ACM SIGOPS Operating Systems Review**, Volume 36 Issue SI

Full text available:  [pdf\(1.56 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

Current system loggers have two problems: they depend on the integrity of the operating system being logged, and they do not save sufficient information to replay and analyze attacks that include any non-deterministic events. ReVirt removes the dependency on the target operating system by moving it into a virtual machine and logging below the virtual machine. This allows ReVirt to replay the system's execution before, during, and after an intruder compromises the system, even if the intruder rep ...

#### 12 Virtual terminal management in a multiple process environment


Keith A. Lantz, Richard F. Rashid  
December 1979 **Proceedings of the seventh ACM symposium on Operating systems principles**

Full text available:  [pdf\(880.43 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Rochester's Intelligent Gateway provides its users with the facilities for communicating simultaneously with a large number of processes spread out among various computer systems. We have adopted the philosophy that the user should be able to manage any number of concurrent tasks or jobs, viewing their output on his display device as he desires. To achieve this goal the Virtual Terminal Management System (VTMS) converts a single physical terminal into multiple virtual terminals

#### 13 VISA: Netstation's virtual Internet SCSI adapter

Rodney Van Meter, Gregory G. Finn, Steve Hotz  
October 1998 **Proceedings of the eighth international conference on Architectural support for programming languages and operating systems**, Volume 32 , 33  
Issue 5 , 11

Full text available:  [pdf\(1.23 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

In this paper we describe the implementation of VISA, our Virtual Internet SCSI Adapter. VISA was built to evaluate the performance impact on the host operating system of using IP to communicate with peripherals, especially storage devices. We have built and benchmarked file systems on VISA-attached emulated disk drives using UDP/IP. By using IP, we expect to take advantage of its scaling characteristics and support for heterogeneous media to build large, long-lived systems. Detailed file system ...

#### 14 Systems: A framework to manage multimodal fusion of events for advanced interactions within virtual environments

Damien Touraine, Patrick Bourdot, Yacine Bellik, Laurence Bolot  
May 2002 **Proceedings of the workshop on Virtual environments 2002**

Full text available:  [pdf\(489.08 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)

This paper describes the EVI3d framework, a distributed architecture developed to enhance interactions within Virtual Environments (VE). This framework manages many multi-sensorial devices such as trackers, data gloves, and speech or gesture recognition systems as well as haptic devices. The structure of this architecture allows a complete dispatching of

device services and their clients on as many machines as required. With the dated events provided by its time synchronization system, it become ...

**15 Virtual Java/FPGA interface for networked reconfiguration**

Yajun Ha, Geert Vanmeerbeeck, Patrick Schaumont, Serge Vernalde, Marc Engels, Rudy Lauwereins, Hugo De Man

January 2001 **Proceedings of the 2001 conference on Asia South Pacific design automation**

Full text available:  [pdf\(242.47 KB\)](#)


Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

A virtual interface between Java and FPGA for networked reconfiguration is presented. Through the Java/FPGA interface, Java applications can exploit hardware accelerators with FPGAs for both functional flexibility and performance acceleration. At the same time, the interface is platform independent. It enables the networked application developers to design their applications with only one interface in mind when considering the interfacing issues. The virtual interface is part of our work to ...

**16 Maté: a tiny virtual machine for sensor networks**

Philip Levis, David Culler

October 2002 **Proceedings of the 10th international conference on Architectural support for programming languages and operating systems**, Volume 37 , 30 , 36 Issue 10 , 5 , 5

Full text available:  [pdf\(1.22 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

Composed of tens of thousands of tiny devices with very limited resources ("motes"), sensor networks are subject to novel systems problems and constraints. The large number of motes in a sensor network means that there will often be some failing nodes; networks must be easy to repopulate. Often there is no feasible method to recharge motes, so energy is a precious resource. Once deployed, a network must be reprogrammable although physically unreachable, and this reprogramming can be a significant ...

**17 A versatile navigation interface for virtual humans in collaborative virtual environments**

Igor Pandzic, Tolga Capin, Nadia Magnenat-Thalmann, Daniel Thalmann

September 1997 **Proceedings of the ACM symposium on Virtual reality software and technology**

Full text available:  [pdf\(632.10 KB\)](#)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

**18 Visualizing software objects: Visualisation of large networks in 3-D space: issues in implementation and experimental evaluation**

Yan Xiao, Paul Milgram

November 1992 **Proceedings of the 1992 conference of the Centre for Advanced Studies on Collaborative research - Volume 1**

Full text available:  [pdf\(913.15 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

Three dimensional visualisation has become a widespread scheme for helping users to access and manage large information network. In this report, various techniques for displaying depth information are reviewed, with an emphasis on stereoscopic displays. Input devices used to interact with a 3-D space are also examined. Issues in 3-D network visualisation are elicited from three viewpoints: psychological, task-related and implementational. Consideration of these issues leads to the design of a pr ...

**19 On virtual memories and micronetworks**

G. Jack Lipovski

March 1977 **ACM SIGARCH Computer Architecture News , Proceedings of the 4th annual symposium on Computer architecture**, Volume 5 Issue 7

Full text available:  [pdf\(891.29 KB\)](#)


Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We propose to use the microcomputer in a network to share I/O resources such as printers and archival memories. A model of a network is developed where computers correspond to edges of a graph. This model reflects the desired characteristics of the microcomputer organization. The advantage of virtual memory in these microcomputers is discussed. Herein, pages in the virtual memory are packets in the network. Packets and requests for packets are generated by page faults and packets are stored ...

## 20 A device-independent network graphics system

Deborah U. Cahn, Albert C. Yen

July 1983 **ACM SIGGRAPH Computer Graphics , Proceedings of the 10th annual conference on Computer graphics and interactive techniques**, Volume 17 Issue 3

Full text available:  pdf(604.64 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The design and implementation of a basic graphics system for a heterogeneous network environment is described. The design has been influenced by the SIGGRAPH Core System, GKS, and proposals being considered by the ANSI Technical Committee on Computer Graphics Programming Languages. It permits hierarchical object definition, direct and indirect attribute specification, screen window management and complex styles of interaction. Important parts of the implementation include a device-independe ...

**Keywords:** Attributes, Core system, Graphical kernel system, Graphics input, Symbol system, Workstation

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)